
















	1	2	3	4	5	6	7	8	9	10	11	12	13	14		
A					CAT 6A Patchkabel, S/FTP (PiMF) - doppelt-geschirmtes LAN-Kabel mit 2x RJ45-Anschlüssen zur Verbindung von Netzwerk-Komponenten - geeignet für 10-Gigabit-Ethernet 10BASE-T, 100BASE-TX, 1000BASE-T, 10/100/1000/10000 Mbit/s - S/FTP-Gesamtschirmung: Aluminium-Folienschirmung für einzelne Adernpaare (PiMF) und Aluminium-Geflechschirmung für den Kabelmantel - hochwertiger Kupferleiter (CU) und mit 3µ vergoldete Kontaktflächen - mit Knickschutztülle und stabiler Ummantelung - Rastnasenschutz am RJ45-Stecker - CAT-6A-getestet (inkl. Messprotokoll) - für Power over Ethernet (PoE, PoE+) geeignet - Längenangabe auf Stecker - Prüfnorm nach ISO/IEC 11801 CAT 6A Class Ea Channel Link					CAT 6A Patch Cable, S/FTP (PiMF) - double-shielded LAN cable with 2x RJ45 plugs for connecting network components - suitable for 10 Gigabit Ethernet 10BASE-T, 100BASE-TX, 1000BASE-T, 10/100/1000/10000 Mbit/s - S/FTP overall shield: aluminium foil shield for individual wire pairs (PiMF) and aluminium braid shield for the cable sheath - high-quality copper conductor (CU) and 3µ gold-plated contacts - with bend protection and a sturdy jacket - with latch protection on RJ45 plugs - CAT 6A tested (incl. test report) - suitable for Power over Ethernet (PoE,PoE+) - length indication on connector - Test standard according to ISO/IEC 11801 CAT 6A Class Ea Channel Link					A	
B					Spezifikation: CAT 6A Max. Bandbreite: 500 MHz Kabeltyp: Rundkabel Material Innenleiter: CU (Kupfer) AWG: 27/7 (stranded) Schirmungsklasse: S/FTP (PiMF) Anzahl Schirmungen: 2x Schirmung Typ 1: Folie (Aluminium) PiMF Schirmung Typ 2: Geflecht (Aluminium) Gesamtschirm Material Kabelmantel: LSZH Durchmesser Kabelmantel: 5,9 ± 0.2 mm LSZH-konform: ja Knickschutz: beidseitig Anschlüsse: 2x RJ45-Stecker (8P8C) Anschluss Schirmung: ja Kontakte: vergoldet (3 µm) Gehäusematerial: PVC Rastnasenschutz: beidseitig Kontaktierung: EIA/TIA-568B Biegeradius >: 59 mm Betriebstemperatur : -20 °C ~ +65 °C					Specification: CAT 6A Max. bandwidth: 500 MHz Cable type: round cable Inner conductor material: CU (copper) AWG: 27/7 (stranded) Shielding class: S/FTP (PiMF) Number of shieldings: 2x Shielding type 1: Foil (aluminium) PiMF Shielding type 2: Braid (aluminium) overall shield Cable sheath material: LSZH Cable sheath diameter: 5.9 ± 0.2 mm LSZH-compliant: yes Kink protection: both sides Connections: 2x RJ45 male (8P8C) Connection shielding: yes Contacts: gold-plated (3 µm) Housing material: PVC Latch protection: both sides Contacting: EIA/TIA-568B Bending radius >: 59 mm Operating temperature: -20 °C ~ +65 °C					B	
C															C	
D															D	
E															E	
F															F	
G															G	
H															H	
I	Änderungen					Datum	Name		Bezeichnung				Blatt		I	
	Datum		Name		gez.:	19.10.2023	anw		CAT 6a-XXXX S/FTP PIMF LSZH X Xm						1/6	
	13.02.2024		ir		gepr.:	19.10.2023	anw									
J					Norm:			Zeichnungs-Nr.:				von		J		
					Änderungen vorbehalten / Subject to change											
	1	2	3	4	5	6	7	8	9	10	11	12	13	14		



	1	2	3	4	5	6	7	8	9	10	11	12	13	14					
A				Art.-Nr. / Item No.	ERP Name / ERP Name			Länge / Length (L)		Performance / Performance						A			
B				94152	CAT 6a-0025 S/FTP PIMF LSZH SCHWARZ 0.25m			250 ± 10 mm		2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE						B			
				93664	CAT 6a-0050 S/FTP PIMF LSZH SCHWARZ 0.50m			500 ± 20 mm											
				93685	CAT 6a-0100 S/FTP PIMF LSZH SCHWARZ 1m			1000 ± 20 mm											
				95607	CAT 6a-0150 S/FTP PIMF LSZH SCHWARZ 1.5m			1500 ± 20 mm											
				93746	CAT 6a-0200 S/FTP PIMF LSZH SCHWARZ 2m			2000 ± 30 mm											
C				93787	CAT 6a-0300 S/FTP PIMF LSZH SCHWARZ 3m			3000 ± 30 mm		1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE						C			
				93820	CAT 6a-0500 S/FTP PIMF LSZH SCHWARZ 5m			5000 ± 50 mm											
				93853	CAT 6a-0750 S/FTP PIMF LSZH SCHWARZ 7.5m			7500 ± 75 mm											
D				93706	CAT 6a-1000 S/FTP PIMF LSZH SCHWARZ 10m			10000 ± 100 mm		Channel test accordance with ISO/IEC 11801 Class Ea POE						D			
				94153	CAT 6a-1500 S/FTP PIMF LSZH SCHWARZ 15m			15000 ± 150 mm											
				94154	CAT 6a-2000 S/FTP PIMF LSZH SCHWARZ 20m			20000 ± 200 mm											
				94905	CAT 6a-3000 S/FTP PIMF LSZH SCHWARZ 30m			30000 ± 300 mm											
				94906	CAT 6a-5000 S/FTP PIMF LSZH SCHWARZ 50m			50000 ± 500 mm											
E							94130	CAT 6a-0025 S/FTP PIMF LSZH BLAU 0.25m			250 ± 10 mm		2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE						E
F							93656	CAT 6a-0050 S/FTP PIMF LSZH BLAU 0.50m			500 ± 20 mm								
							93677	CAT 6a-0100 S/FTP PIMF LSZH BLAU 1m			1000 ± 20 mm								
	95599	CAT 6a-0150 S/FTP PIMF LSZH BLAU 1.5m					1500 ± 20 mm												
	93738	CAT 6a-0200 S/FTP PIMF LSZH BLAU 2m					2000 ± 30 mm												
	G	93779	CAT 6a-0300 S/FTP PIMF LSZH BLAU 3m				3000 ± 30 mm		1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE						F				
93812		CAT 6a-0500 S/FTP PIMF LSZH BLAU 5m					5000 ± 50 mm												
93845		CAT 6a-0750 S/FTP PIMF LSZH BLAU 7.5m					7500 ± 75 mm												
93698		CAT 6a-1000 S/FTP PIMF LSZH BLAU 10m					10000 ± 100 mm												
94131		CAT 6a-1500 S/FTP PIMF LSZH BLAU 15m					15000 ± 150 mm												
H	94133	CAT 6a-2000 S/FTP PIMF LSZH BLAU 20m					20000 ± 200 mm		Channel test accordance with ISO/IEC 11801 Class Ea POE						G				
	94911	CAT 6a-3000 S/FTP PIMF LSZH BLAU 30m					30000 ± 300 mm												
																			H
I	Änderungen				Datum		Name		Bezeichnung CAT 6a-XXXX S/FTP PIMF LSZH X Xm 						Blatt		I		
				Datum	Name		gez.:	19.10.2023							anw			3/6	
				13.02.2024	ir		gepr.:	19.10.2023							anw			von	
J				Norm:	Änderungen vorbehalten / Subject to change			Zeichnungs-Nr.:								J			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14					

	1	2	3	4	5	6	7	8	9	10	11	12	13	14																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
A				Art.-Nr. / Item No.	ERP Name / ERP Name			Länge / Length (L)		Performance / Performance					A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
B				94137	CAT 6a-0025 S/FTP PIMF LSZH GRAU 0.25m			250 ± 10 mm		2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				93659	CAT 6a-0050 S/FTP PIMF LSZH GRAU 0.50m			500 ± 20 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				93680	CAT 6a-0100 S/FTP PIMF LSZH GRAU 1m			1000 ± 20 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				95602	CAT 6a-0150 S/FTP PIMF LSZH GRAU 1.5m			1500 ± 20 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				93741	CAT 6a-0200 S/FTP PIMF LSZH GRAU 2m			2000 ± 30 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
C				93782	CAT 6a-0300 S/FTP PIMF LSZH GRAU 3m			3000 ± 30 mm		1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				93815	CAT 6a-0500 S/FTP PIMF LSZH GRAU 5m			5000 ± 50 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				93848	CAT 6a-0750 S/FTP PIMF LSZH GRAU 7.5m			7500 ± 75 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
D				93701	CAT 6a-1000 S/FTP PIMF LSZH GRAU 10m			10000 ± 100 mm		Channel test accordance with ISO/IEC 11801 Class Ea POE					D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				94138	CAT 6a-1500 S/FTP PIMF LSZH GRAU 15m			15000 ± 150 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				94139	CAT 6a-2000 S/FTP PIMF LSZH GRAU 20m			20000 ± 200 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				94907	CAT 6a-3000 S/FTP PIMF LSZH GRAU 30m			30000 ± 300 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	94908	CAT 6a-5000 S/FTP PIMF LSZH GRAU 50m			50000 ± 500 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
E				94158	CAT 6a-0025 S/FTP PIMF LSZH WEISS 0.25m			250 ± 10 mm		2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
F				93667	CAT 6a-0050 S/FTP PIMF LSZH WEISS 0.50m			500 ± 20 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				93688	CAT 6a-0100 S/FTP PIMF LSZH WEISS 1m			1000 ± 20 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				95609	CAT 6a-0150 S/FTP PIMF LSZH WEISS 1.5m			1500 ± 20 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				93749	CAT 6a-0200 S/FTP PIMF LSZH WEISS 2m			2000 ± 30 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				93790	CAT 6a-0300 S/FTP PIMF LSZH WEISS 3m			3000 ± 30 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
G				93823	CAT 6a-0500 S/FTP PIMF LSZH WEISS 5m			5000 ± 50 mm		1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				93856	CAT 6a-0750 S/FTP PIMF LSZH WEISS 7.5m			7500 ± 75 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				93709	CAT 6a-1000 S/FTP PIMF LSZH WEISS 10m			10000 ± 100 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				94159	CAT 6a-1500 S/FTP PIMF LSZH WEISS 15m			15000 ± 150 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				94160	CAT 6a-2000 S/FTP PIMF LSZH WEISS 20m			20000 ± 200 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
H				94909	CAT 6a-3000 S/FTP PIMF LSZH WEISS 30m			30000 ± 300 mm		Channel test accordance with ISO/IEC 11801 Class Ea POE					G																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				94910	CAT 6a-5000 S/FTP PIMF LSZH WEISS 50m			50000 ± 500 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

	1	2	3	4	5	6	7	8	9	10	11	12	13	14							
A				Art.-Nr. / Item No.	ERP Name / ERP Name				Länge / Length (L)	Performance / Performance					A						
B				94140	CAT 6a-0025 S/FTP PIMF LSZH GRÜN 0.25m				250 ± 10 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					B						
				93660	CAT 6a-0050 S/FTP PIMF LSZH GRÜN 0.50m				500 ± 20 mm												
				93681	CAT 6a-0100 S/FTP PIMF LSZH GRÜN 1m				1000 ± 20 mm												
				95603	CAT 6a-0150 S/FTP PIMF LSZH GRÜN 1.5m				1500 ± 20 mm												
C				93742	CAT 6a-0200 S/FTP PIMF LSZH GRÜN 2m				2000 ± 30 mm	1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					C						
				93783	CAT 6a-0300 S/FTP PIMF LSZH GRÜN 3m				3000 ± 30 mm												
				93816	CAT 6a-0500 S/FTP PIMF LSZH GRÜN 5m				5000 ± 50 mm												
D				93849	CAT 6a-0750 S/FTP PIMF LSZH GRÜN 7.5m				7500 ± 75 mm	Channel test accordance with ISO/IEC 11801 Class Ea POE					D						
				93702	CAT 6a-1000 S/FTP PIMF LSZH GRÜN 10m				10000 ± 100 mm												
	94141	CAT 6a-1500 S/FTP PIMF LSZH GRÜN 15m				15000 ± 150 mm															
E		94142	CAT 6a-2000 S/FTP PIMF LSZH GRÜN 20m				20000 ± 200 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					E								
		65557	CAT 6a-5000 S/FTP PIMF LSZH GRÜN 50m				50000 ± 500 mm														
		94134	CAT 6a-0025 S/FTP PIMF LSZH GELB 0.25m				250 ± 10 mm														
		93658	CAT 6a-0050 S/FTP PIMF LSZH GELB 0.50m				500 ± 20 mm														
		93679	CAT 6a-0100 S/FTP PIMF LSZH GELB 1m				1000 ± 20 mm														
F		95601	CAT 6a-0150 S/FTP PIMF LSZH GELB 1.5m				1500 ± 20 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					F								
		93740	CAT 6a-0200 S/FTP PIMF LSZH GELB 2m				2000 ± 30 mm														
		93781	CAT 6a-0300 S/FTP PIMF LSZH GELB 3m				3000 ± 30 mm														
		93814	CAT 6a-0500 S/FTP PIMF LSZH GELB 5m				5000 ± 50 mm														
		93847	CAT 6a-0750 S/FTP PIMF LSZH GELB 7.5m				7500 ± 75 mm														
G		93700	CAT 6a-1000 S/FTP PIMF LSZH GELB 10m				10000 ± 100 mm	1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					G								
		94135	CAT 6a-1500 S/FTP PIMF LSZH GELB 15m				15000 ± 150 mm														
		94146	CAT 6a-0025 S/FTP PIMF LSZH ORANGE 0.25m				250 ± 10 mm														
		93662	CAT 6a-0050 S/FTP PIMF LSZH ORANGE 0.50m				500 ± 20 mm														
		93683	CAT 6a-0100 S/FTP PIMF LSZH ORANGE 1m				1000 ± 20 mm														
H		95605	CAT 6a-0150 S/FTP PIMF LSZH ORANGE 1.5m				1500 ± 20 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					H								
		93744	CAT 6a-0200 S/FTP PIMF LSZH ORANGE 2m				2000 ± 30 mm														
		93785	CAT 6a-0300 S/FTP PIMF LSZH ORANGE 3m				3000 ± 30 mm														
		93818	CAT 6a-0500 S/FTP PIMF LSZH ORANGE 5m				5000 ± 50 mm														
		93851	CAT 6a-0750 S/FTP PIMF LSZH ORANGE 7.5m				7500 ± 75 mm														
I		93704	CAT 6a-1000 S/FTP PIMF LSZH ORANGE 10m				10000 ± 100 mm	1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					I								
		Änderungen			Datum		Name							Bezeichnung					Blatt		
		Datum		Name		gez.:	19.10.2023							anw		CAT 6a-XXXX S/FTP PIMF LSZH					5/6
J		13.02.2024		ir		gepr.:	19.10.2023	anw		X Xm					von						
						Norm:			Zeichnungs-Nr.:												
						Änderungen vorbehalten / Subject to change															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14							

	1	2	3	4	5	6	7	8	9	10	11	12	13	14				
A				Farbe / Colour	Art.-Nr. / Item No.	ERP Name / ERP Name			Länge / Length (L)	Performance / Performance					A			
B					rot / red	94149	CAT 6a-0025 S/FTP PIMF LSZH ROT 0.25m			250 ± 10 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					B		
C					93663	CAT 6a-0050 S/FTP PIMF LSZH ROT 0.50m			500 ± 20 mm									
93684					CAT 6a-0100 S/FTP PIMF LSZH ROT 1m			1000 ± 20 mm										
95606					CAT 6a-0150 S/FTP PIMF LSZH ROT 1.5m			1500 ± 20 mm										
93745					CAT 6a-0200 S/FTP PIMF LSZH ROT 2m			2000 ± 30 mm										
93786					CAT 6a-0300 S/FTP PIMF LSZH ROT 3m			3000 ± 30 mm										
D					93819	CAT 6a-0500 S/FTP PIMF LSZH ROT 5m			5000 ± 50 mm	1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE Channel test accordance with ISO/IEC 11801 Class Ea POE					D			
93852					CAT 6a-0750 S/FTP PIMF LSZH ROT 7.5m			7500 ± 75 mm										
93705					CAT 6a-1000 S/FTP PIMF LSZH ROT 10m			10000 ± 100 mm										
E		94150	CAT 6a-1500 S/FTP PIMF LSZH ROT 15m			15000 ± 150 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					E						
F		94151	CAT 6a-2000 S/FTP PIMF LSZH ROT 20m			20000 ± 200 mm												
94155		CAT 6a-0025 S/FTP PIMF LSZH VIOLETT 0.25m			250 ± 10 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE							F					
G		93666	CAT 6a-0050 S/FTP PIMF LSZH VIOLETT 0.50m											500 ± 20 mm				
93687		CAT 6a-0100 S/FTP PIMF LSZH VIOLETT 1m			1000 ± 20 mm													
95608		CAT 6a-0150 S/FTP PIMF LSZH VIOLETT 1.5m			1500 ± 20 mm													
H		93748	CAT 6a-0200 S/FTP PIMF LSZH VIOLETT 2m								2000 ± 30 mm	1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE Channel test accordance with ISO/IEC 11801 Class Ea POE					G	
93789		CAT 6a-0300 S/FTP PIMF LSZH VIOLETT 3m			3000 ± 30 mm													
93822		CAT 6a-0500 S/FTP PIMF LSZH VIOLETT 5m			5000 ± 50 mm													
I			93855	CAT 6a-0750 S/FTP PIMF LSZH VIOLETT 7.5m			7500 ± 75 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE					H					
J	93708		CAT 6a-1000 S/FTP PIMF LSZH VIOLETT 10m			10000 ± 100 mm												
94156	CAT 6a-1500 S/FTP PIMF LSZH VIOLETT 15m			15000 ± 150 mm	1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE Channel test accordance with ISO/IEC 11801 Class Ea POE									I				
A	94143		CAT 6a-0025 S/FTP PIMF LSZH MAGENTA 0.25m												250 ± 10 mm			
93661	CAT 6a-0050 S/FTP PIMF LSZH MAGENTA 0.50m			500 ± 20 mm														
B	93682		CAT 6a-0100 S/FTP PIMF LSZH MAGENTA 1m			1000 ± 20 mm	2 Cords + 50 m channel link Test accordance with ISO/IEC 11801 Class Ea POE							J				
C	95604		CAT 6a-0150 S/FTP PIMF LSZH MAGENTA 1.5m			1500 ± 20 mm												
93743	CAT 6a-0200 S/FTP PIMF LSZH MAGENTA 2m			2000 ± 30 mm														
93784	CAT 6a-0300 S/FTP PIMF LSZH MAGENTA 3m			3000 ± 30 mm														
93817	CAT 6a-0500 S/FTP PIMF LSZH MAGENTA 5m			5000 ± 50 mm														
93850	CAT 6a-0750 S/FTP PIMF LSZH MAGENTA 7.5m			7500 ± 75 mm														
D	93703	CAT 6a-1000 S/FTP PIMF LSZH MAGENTA 10m			10000 ± 100 mm	1 Cord + 50 m + 0.5 m channel link Test accordance with ISO/IEC 11801 Class Ea POE Channel test accordance with ISO/IEC 11801 Class Ea POE					A							
94144	CAT 6a-1500 S/FTP PIMF LSZH MAGENTA 15m			15000 ± 150 mm														
E	Änderungen			Datum	Name		Bezeichnung					Blatt		E				
F	Datum		Name		gez.:	19.10.2023	anw		CAT 6a-XXXX S/FTP PIMF LSZH					6/6		F		
G	13.02.2024		ir		gepr.:	19.10.2023	anw		X Xm							G		
H				Norm:				Zeichnungs-Nr.:					von		H			
I				Änderungen vorbehalten / Subject to change				93565ff							I			
J	1	2	3	4	5	6	7	8	9	10	11	12	13	14	J			